

**CALYPSO SC480 12X1L BOT GB**Version 1 / GB
1020000075691/7
Revision Date: 12.04.2006
Print Date: 26.04.2006**1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING****Product information**

Trade name CALYPSO SC480 12X1L BOT GB
Product code (UVP) 05302064
Usage insecticide
Company Bayer CropScience Limited
230 Cambridge Science Park
Milton Road
Cambridge
Cambridgeshire CB4 0WB
Great Britain
Telephone +44(0)1223 226500
Telefax +44(0)1223 426240
Emergency telephone number 0800-220876 (UK 24 hr)
+44(0)1603-242424 (Overseas 24 hr)

2. COMPOSITION/INFORMATION ON INGREDIENTS**Chemical nature**

Suspension concentrate (=flowable concentrate)(SC)
Thiacloprid 480 g/l

Hazardous components

Chemical Name	CAS-No. / EINECS-No.	Symbol(s)	R-phrases(s)	Concentration [%]
Thiaclopride	111988-49-9	Xn	R20/22, R40, R52/53	40.40

3. HAZARDS IDENTIFICATION**Risk advice to man and the environment**

Harmful by inhalation and if swallowed.
Limited evidence of a carcinogenic effect.
May cause sensitization by skin contact.
Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

4. FIRST AID MEASURES**General advice**

Move out of dangerous area. Remove contaminated clothing immediately and dispose of safely.
Place and transport victim in stable position (lying sideways).

Inhalation

Keep patient warm and at rest. Move to fresh air. Call a physician or poison control center immediately.

Skin contact

Wash off immediately with soap and plenty of water. If symptoms persist, call a physician.



CALYPSO SC480 12X1L BOT GB

Version 1 / GB
102000007569

2/7
Revision Date: 12.04.2006
Print Date: 26.04.2006

Eye contact

In case of contact with eyes rinse thoroughly with water. Call a physician or poison control center immediately.

Ingestion

Do not induce vomiting. Call a physician or poison control center immediately. Rinse mouth.

Notes to Physician

Treatment

Elementary aid, decontamination and symptomatic treatment.
Gastric lavage, then charcoal (carbo medicalis) and sodium sulfate.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media

water spray
carbon dioxide (CO₂)
foam
sand

Specific hazards during fire fighting

In the event of fire the following can be released:
hydrogen chloride (HCl)
hydrogen cyanide (hydrocyanic acid)
carbon monoxide (CO)
sulphur dioxide (SO₂)
nitrous gases (NO_x)

Special protective equipment for fire-fighters

In the event of fire and/or explosion do not breathe fumes.
Use breathing apparatus.

Further information

Contain the spread of the fire-fighting media.
Do not allow run-off from fire fighting to enter drains or water courses.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions

Avoid contact with spilled product or contaminated surfaces.
Wear personal protective equipment. Unprotected persons must be kept away.

Environmental Precautions

Do not discharge into the drains/surface water/groundwater.
If spillage enters drains leading to sewage works inform local water company immediately.
If spillage enters rivers or watercourses, inform the Environment Agency (emergency telephone number 0800 807060).

Methods for Cleaning Up

Take up with absorbent material (e.g. sand, diatomaceous earth or a proprietary absorbent material).
Clean contaminated floors and objects thoroughly, observing environmental regulations.
Keep in suitable, closed containers for disposal.

Additional Advice

Information regarding personal protective equipment, see section 8.
Information regarding waste disposal, see section 13.

**CALYPSO SC480 12X1L BOT GB**Version 1 / GB
1020000075693/7
Revision Date: 12.04.2006
Print Date: 26.04.2006

7. HANDLING AND STORAGE**Handling**

Advice on safe handling

Use only in area provided with appropriate exhaust ventilation.

Storage

Requirements for storage areas and containers

Keep container tightly closed in a dry and well-ventilated place.

Store in a place accessible by authorized persons only.

Store in original container.

Advice on common storage

Keep away from food, drink and animal feedingstuffs.

Storage stability

Storage temperature < 50 °C

Other data Do not store at temperatures below -10 °C. The storage temperature should not exceed 50 °C.

Suitable materials

HDPE (high density polyethylene)

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Refer to COSHH assessment (Control of Substances Hazardous to Health (Amendment) Regulations 2004). Engineering controls should be used in preference to personal protective equipment wherever practicable. Refer also to COSHH Essentials.

Personal protective equipment

Respiratory Protection

No personal respiratory protective equipment normally required. Respiratory protection should only be used to control residual risk of short duration activities, when all reasonably practicable steps have been taken to reduce exposure at source e.g. containment and/or local extract ventilation. Always follow respirator manufacturer's instructions regarding wearing and maintenance.

Hand Protection

Wear CE Marked (or equivalent) nitrile rubber gloves (minimum thickness 0,40 mm). Wash when contaminated. Dispose of when contaminated inside, when perforated or when contamination outside cannot be removed. Wash hands always before eating, drinking, smoking or using the toilet.

Eye protection

Wear goggles conforming to EN166 (Field of Use 5 or equivalent).

Skin and body protection

Wear standard coverall and type 3 suit.
Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently.

**CALYPSO SC480 12X1L BOT GB**Version 1 / GB
1020000075694/7
Revision Date: 12.04.2006
Print Date: 26.04.2006**Hygiene measures**

Avoid contact with skin, eyes and clothing.

Keep working clothes separately.

Wash hands immediately after work, if necessary take a shower.

Remove soiled and/or soaked clothing immediately and clean thoroughly before using again.

Garments that cannot be cleaned must be destroyed (burnt).

9. PHYSICAL AND CHEMICAL PROPERTIES**Appearance**

Form	liquid, suspension
Colour	white to light beige
Odour	slight, specific odour

Safety data

Flash Point	> 100 °C
Density	ca. 1.19 g/cm ³ at 20 °C
Water Solubility	miscible

10. STABILITY AND REACTIVITY

Conditions to Avoid	Extremes of temperature and direct sunlight.
Materials to avoid	None.
Hazardous Reactions	No hazardous reactions when stored and handled according to prescribed instructions. Stable under recommended storage conditions.

11. TOXICOLOGICAL INFORMATION

Acute Oral Toxicity	LD50 (rat) > 300 - < 500 mg/kg
Acute Inhalation Toxicity	LC50 (rat) > 0.9 - < 2.2 mg/l Exposure time: 4 h (as aerosol)
Acute Dermal Toxicity	LD50 (rat) > 4,000 mg/kg
Skin Irritation	Non-irritant. (rabbit)
Eye Irritation	Non-irritant. (rabbit)
Sensitization	sensitizing (guinea pig) OECD Test Guideline 406, Magnusson & Kligman test

12. ECOLOGICAL INFORMATION

**CALYPSO SC480 12X1L BOT GB**Version 1 / GB
1020000075695/7
Revision Date: 12.04.2006
Print Date: 26.04.2006**Ecotoxicity effects**

Toxicity to Fish	LC50 (Lepomis macrochirus (Bluegill sunfish)) 80.7 mg/l Exposure time: 96 h
Toxicity to daphnia	EC50 (Water flea (Daphnia magna)) \geq 85.1 mg/l Exposure time: 48 h The value mentioned relates to the active ingredient.
Toxicity to algae	IC50 (Desmodesmus subspicatus) 96.7 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient.

13. DISPOSAL CONSIDERATIONS**Product**

In accordance with current regulations may be taken to waste disposal site or incineration plant, after consultation with site operator and/or with the responsible authority.
Advice may be obtained from the local waste regulation authority (part of the Environment Agency in the UK).

Contaminated packaging

Small containers (< 10 l or < 10 kg) should be rinsed thoroughly using an integrated pressure rinsing device, or, by manually rinsing three times.
Add washings to sprayer at time of filling.
Dispose of empty and cleaned packaging safely.
Large containers (> 25 l or > 25 kg) should not be rinsed or re-used for any other purpose.
Return large containers to supplier.
Follow advice on product label and/or leaflet.

Waste key for the unused product

020108 agrochemical waste containing dangerous substances

14. TRANSPORT INFORMATION**ADR/RID/ADNR**

UN-No	2902
Labels	6.1
Packaging group	III
Hazard no.	60
Description of the goods	UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (THIACLOPRID SOLUTION)

IMDG

UN-No	2902
Class	6.1
Packaging group	III
EmS	F-A , S-A
Description of the goods	PESTICIDE, LIQUID, TOXIC, N.O.S. (THIACLOPRID SOLUTION)

IATA

UN-No	2902
Class	6.1

**CALYPSO SC480 12X1L BOT GB**Version 1 / GB
1020000075696/7
Revision Date: 12.04.2006
Print Date: 26.04.2006

Packaging group	III
Description of the goods	PESTICIDE, LIQUID, TOXIC, N.O.S. (THIACLOPRID SOLUTION)

UK 'Carriage' Regulations

UN-No	2902
Labels	6.1
Packaging group	III
Hazard no.	60
Emergency action code	2X
Description of the goods	UN 2902 PESTICIDE, LIQUID, TOXIC, N.O.S. (THIACLOPRID SOLUTION)

15. REGULATORY INFORMATION

This product has been classified in accordance with The Chemicals (Hazard Information and Packaging for Supply) Regulations 2002: CHIP 3 and any subsequent amendments.

Classification:

Labelling according to EEC Directive

Hazardous components which must be listed on the label:

- Thiaclopride

Symbol(s)

Xn Harmful

R-phrases(s)

R20/22	Harmful by inhalation and if swallowed.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitization by skin contact.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

S-phrases(s)

S24	Avoid contact with skin.
S36/37	Wear suitable protective clothing and gloves.

CLASSIFICATION ACCORDING TO SPECIFIC UK REGULATIONS:

The labelling information below is that which has been approved under 'The Control of Pesticides Regulations 1986' and/or 'Part III of the Food and Environment Protection Act 1985' and/or 'Plant Protection Product Regulations 1999' and any subsequent amendments and may differ from that indicated by any toxicological and/or other testing otherwise indicated in this 'Safety Data Sheet'.

Symbol(s)

Xn Harmful

R-phrases(s)

R20/22	Harmful by inhalation and if swallowed.
R40	Limited evidence of a carcinogenic effect.
R43	May cause sensitization by skin contact.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

**CALYPSO SC480 12X1L BOT GB**Version 1 / GB
1020000075697/7
Revision Date: 12.04.2006
Print Date: 26.04.2006

S-phrases(s)

S24	Avoid contact with skin.
S35	This material and its container must be disposed of in a safe way.
S36/37	Wear suitable protective clothing and gloves.
S61	Avoid release to the environment. Refer to special instructions/safety data sheets.

Exceptional labelling

To avoid risks to man and the environment, comply with the instructions for use.

Further information

WHO-classification: II (Moderately hazardous)

16. OTHER INFORMATION**Further information**

Text of R phrases mentioned in Section 2:

R20/22	Harmful by inhalation and if swallowed.
R40	Limited evidence of a carcinogenic effect.
R52/53	Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

The above information is intended to give general health and safety guidance on the storage and transport of the product.

It is not intended to apply to the use of the product for which purposes the product label and any appropriate technical usage literature available should be consulted and any relevant licenses, consents or approvals complied with.

The requirements or recommendations of any relevant site or working procedure, system or policy in force or arising from any risk assessment involving the substance or product should take precedence over any of the guidance contained in this safety data sheet where there is a difference in the information given.

The information provided in this safety data sheet is accurate at the date of publication and will be updated as and when appropriate.

No liability will be accepted for any injury, loss or damage resulting from any failure to take account of information or advice contained in this safety data sheet.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.
--